UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration

St. Louis 2, Missouri

EDY ACTION ESSENTIAL YOU DESIRE THESE MATERIALS

October 2, 1945

MATERIAL:

BARE COPPER WIRE, #6 AWG, MHD

COMDITION:

New (In original wrapped coils and reels.)

LOCATION:

Granite City, Illinois

PRICE:


\$.0105 per foot, f.o.b. Granite City, Illinois

ORDER INSTRUCTIONS:

Mail orders to us in duplicate with Vendor's name and address space left blank, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. ()rders will be processed in order of receipt, subject to prior sale.

Agency Ref. No.	Quan.	Description	Unit Price
244351 -1-1	3,900,0001	BARE COPPER WIRE, #6 AWG, MHD, consisting of:	\$.0105 ft.

511 Coils @ 3100 ' 77 Reels @ 21,500 ' 98 Reels @ 3,000 '



J. Warn er Pyles, Head

Surplus War Property Office

Cooperatives! Operations Division

In all communications to REA concerning these Items, please refer to SWP Release: 111

the place of animal gifts with their all as or making its

SUPREMENT STREET STATES OF THE SECOND STATES

ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSEONOTIONES

MATERIAL:

GENERATORS, MOTOR, SWITCHES, CONNECTORS, BRACES, INSULATORS LIGHTNING ARRUSTORS, CAPS, BOXES, POLES

CONDITION:

As shown below,

PRICE:

As shown below. f.o.b. Carrier

TIME LIMIT:

October 19, 1945

ORDER INSTRUCTIONS:

Mail orders to us in duplicate with Vendor's name and address space left blank, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Orders will be processed in order of receipt, subject to prior sale.

Item Quan No. tity		. COND	LOC- ATION	UNIT PRICE
1 12	GENERATORS - Gasoline Driven	re	Marietta, Pennsylvania	250000
	hand crank. Approx. 250 lbs. total 6 crated, 6 uncrated. Includes volt meter generator MG 4 made by Master Vibrator Co., Dayton, Ohio	wgt.	U. S. DEPARMANT	ASRIGUATORIS

2 12

POWER UNITS, 1000/15 Watts, 110V, AC, New-Philadelphia \$125.00 60 cy. 15 V DC 1800 RPM, Dim. 23"x Excellent Pa. 18½" x 21" Power Units Wisc. Motor Corp. Gasoline Engine, Type AB, Size 2½" x 2 3/4", air cooled, rope started, coupled to Pioneer G.E. Motor Co., Generator Type WA10, Inst. Panel Incl. WT-175 lbs. Item S-16913, Stock FTNP-3H4525-3

			mications to REA concerning please refer to SWP Release: #112 B			
	No	QUAN TITY	DESCRIPTION		OC± ION ·	UNIT
	3	94	PENDANT SWITCHES, Edwards & Co. #SW- 158A, commercial Pear Type Single pole, double throw, push button type; bakelite body and button w- metallic fitting to hold button & electrical contacts internally; overall dimensions are 3½ 1g, and 1½ OD; wt, each approx. 4 oz.	New - Excellent	Phila. Pa.	\$.25
(4	1729	CONNECTORS, stranded wire #2 SNL 17-3448.500-200. The connector is of the split bolt type & is marked Fargo 5002 S-2 st.	New	Schenect	ady \$.15
	5	40	BENCH LATHES, Kingston-Conley 1/4 HP. 110/220 V, 60 Cy. 1P, 1725 RPM Ball Bearing Capacitor Type Motor with Dbl. shaft ext. tapered to fit Jacobs Chuck. Ea. left shaft Equipped with 21 OD x 1/2" Face x 1/2" Groove Dia Cast Pulley with set screw, Brake Lever Mtg. Boss. Cutler Hammer Hy Dy "On-Off" Switch Mounted on Frt. of base, complete with 5' 00" - 3 Cond. Cord for Grounding & Hubbel 3 Wire Polarized Cap. Condensor Mtd. in base. Ea. with Motor Brake & #32 Jacobs Chuck.	New	Great Nec	ak \$27.57
	6	103	BRACES, drop angle, cross arm 60"	New -Good	Omaha, Nol	. \$.60
	7	18	BRACES, cross arm, flat 28"	n n	11 11	\$.10
Q	8	38	ENDS, dead, str. thru 2/3 solid 3/4 strd Reliable 21 LD	n n	'u, u	\$.30
	9	37	ENDS, dead str. thru #6-8 solid #8 str. Reliable 61 LD.	u n	11 11	\$.25
	10	181	PINS, lead head, Hubbard, #71463, 3# above, 1-3/4" ld. hd., 3/4" x 6 bolt	New -Fair	n n	\$.35
	11	8	PINS, lead head, pole type 15" Lock 2026	" -Good	n n	\$.18
	12	17	-1.00 H1010, 110450 17,011 110100 111000	" -Good	n n n n	\$.18 \$.04 \$ 9.00
	13	3	ARRESTORS, lightning, grounded 9/12.8 KV, non grounded, 6/9 KV type A-LM, Line Material Co.	" -Good	п	\$ 9,00
	14	350	PIN, #981 Peirce forged steel long shank Graybar Cat. #102, page 882	" -Good	и п	\$.18
	15	17		New-Fair	и и	\$.50
	16	80	CAPS, lampholder, snap catch porcelain G.E. Cat. #C.E. 1223	New-Fair	n n	\$.05
	17	100	BOXES, Switch, Black, National Elec. #455. Wt. 66#	New-Good	п п	\$.05
	18	51	BRACES, Alley Arm 7'-0"	11 11	11 11	\$ 1.00 \$ 1.25
4	19	37	Back, Galv. Steel 7' 10" lg. J#69	967 "	11 11	\$ 1.25

	Section 1			Marie Land	
ITEN NO.	QUAN TITY	DESCRIPTION	COND- ITION	LOCATION	UNIT
20	10	ARM ATTACHMENTS, Pole Galv.	New-Good	Omaha, Neb.	\$3.50
21	1	POLE, Western Red Cedar, 35 feet, Class 6 butt creosoted	Good .	Gary Ind.	\$5,50
22	2	POLES, Western Red Cedar, 45 feet, butt creosoted.	Good	n	\$. 10.00
23	100	ARM BRACES, Alley, Joslyn #1521	Used-Good	an .	•90
24	20	CROSS ARM BRACES, 28", Joslyn #1728	tt ti	н	.10
25	500	PEAVEY, iron, wood handle	New-Good	Schenectady	.42
26	55	VISE, bench type clamp, 31 Jaw open 4"	ıı	N.Y,	.68
27	3731	WIRE, Copper, Size AWG #4, stranded Conductor, rubber covered, double braid, (Insulation white) Type R 660 volts. (373 ft. Misc. Lgths.)	New - Good	Seattle Wash.	.031
28	535 †	WIRE, electric #6, 3 conductor, WP (waterproof neutral). Romex-loom 1 - 35' piece, rubber covered GE non-metallic sheathed, 600 volt.	New-	t -	\$.10!
29	20501	CABLE, non-metallic sheath, #8 Str. 2/c GE Braidx, 27 coils	New - Good	II	.061
30	1759'	CABLE, non-metallic sheath #6 Str. 3 conductor GE Braidx, 13 coils.	n .	II.	.10
31	228	INSULATOR STRAIN - 71 Bead - w/links w/shackles - 7/8" holes, Victor #801	" - Excellen	t .	.90
32	1	GENERATOR SET, Portable, Gas Engine driven 2.5 kW, 3.1 kVA, 120 V AC, 60 cycles, single phase, 25 amps. 1800 RPM, Type AG, Mfg.: Masters Elec. Co. Driven by Hercules Gas Engine. Model ZXB, 4 cyclinder, direct connected.	Used - Good	· ·	\$150.00
33	1	GENERATING SET, ELEC, 4 cylinder, 4 cy. L Head, liquid cooled, electric start ing, gasoline engine, directly connecte to an elec. generator engine is MFD by Hercules Engine Co. and is rated 12.5 H at 1800 RPM. Generator is Mfd. by Fide Elec. Co & is rated 2.4 KW, 60 cy. sing phase, 115 V 26 amp at 80% power factor	Excellen ed Pelity		\$250.00
34	38	RODS, Anchor, steel, Galv. Thimbleye Threaded, Diam 1", Length 10'; 8 thrd. per inch. #6340 Hubbard & Co.	New - Good	a matter a more	.65

per inch, #6340 Hubbard & Co,

(OVER)

In all communications to REA concerning these items, please refer to SWP Release #112 D

NO	QUAN TITY	DESCRIPTION	COND_ ITION	LOCATION	UNIT PRICE
35	5741	WIRE, Copper, Size AWG #4, stranded Conductor, triple braid, WP insulation URC Finish, 2 ccils.	New - Good	Renton, Wash.	.0251

In the case of the following items, no price has been set as yet. The Cooperatives interested in these items should note in pencil the unit price they are willing to pay for same.

36	ī	WELDER, ELECTRIC, 400 amps, 25 to 40 volts 1750 RPM, Model 402W. Ser. #180-463. Mfg. by Wilson. Driven by 4 cy., 6 cyl., 1750 RPM, electric started, battery ignition, water cooled gas engine - Ser #228306, Model 298, Mfg. by Buda, Used-Good Pasco, Wash.
37	1	WELDER, ELECTRIC - 400 amps, Type AW6 DC " " \$ 40 V, 1450 RPM. Ser. #206615. Mfg. by Allen Bradley. Elec. driven by 25 HP 1450 RPM, 3 phase, 60 cycle, 30 amps. 220-440 v., AC, motor. Mounted on iron hand truck with 4 steel wheels.
38	1	Type FKW, Ser #D 7917. Mfg. by Lincoln Fair Elec. Co. Driven by 4 cy. 6 cyl. hand started, magneto ignition, water cooled gas engine.
39	1	ELECTRIC WELDER, 300 amps, 50 volts, 1500 RPM, Model SA 200, Ser #D17835. Mfg. by Lincoln Elec. Co. Driven by 4 cy. 4 cyl. 1500 RPM, hand started, magneto ignition water cooled gas engine. Ser 676374, Modl. Model IXB-5 Mfg. by Hercules
40	1	Model SA300, Ser Dl0168 Lincoln Elec. Good Co. Driven by 4 cy., 6 cyl. 1500 RPM. hand started, magneto ignition, water cooled gas engine; Mfg. by Buda
41	1	ELECTRIC WELDER, 200 amps, type SA200, DC Used " " \$ 40 V, 1400 RPM - Lincoln Elec. Co Good Ser. #A81531, direct connected to 4 cy. 4 cyl, crank started, magneto ignition Hercules gas engine, water cooled, equipped with governor, mounted on iron pipe skids.

NATIONWIDE Distribution

J. Warner Pyles, Head-Surplus War Property Office Cooperatives! Operations Division UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis, Mo.

TRANSFORMERS, CABLE, LIGHT PLANTS, BOLTS, CLEVIS, GUY ATTACHMENTS, WIRE HOLDERS, ANCHORS, CROSS ARM BRACES, CLAMPS, HOISTS, NUT RUNNERS, WASHERS, WASHERS

COMDITION:

As shown below.

PRICE:

As shown below, f.o.b. Carrier

TILE LIMIT:

October 26, 1945

INSTRUCTIONS:

Mail orders to us in duplicate with Vendor's name and address space left blank, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Orders will be processed in order of receipt, subject to prior sale.

100		AND THE RESIDENCE OF THE PARTY	
I TEM NO	QUAN TITY	DESCRIPTION LOCATION .	UNIT PRICE
1	30,000 ft.	CABLE, #10, 2/C Solid BX armored N. Orleans, La.	\$.04 ft
2	28,250 ft.	CABLE, #8 , 2/C, one insulated, one ground wire.	\$,05 ft
3	10	JACKHAMMERS. Mfg: Sullivan, Cleveland Ingersoll-Rand, Thor-Co. Pine Bluff, Ark.	\$25.00 ea
4	9	HOISTS, Coffin, 1 Chain	\$25,00
5	7	BLOCKS, Snatch; Sizes: 5", 6" "	.75
6	3,000 ft.	WIRE, copper, single stranded cond. San Antonio #10, insulated with two wraps of varnish cambric, single braid, Type VC, medium hard drawn copper Black, 0.21875" O.D. Each cond. consists of 7 copper wires, each wire .040" diam. twisted into one strand. Condition: New-Excellent	.008 f
7	1,765 ft.	WIRE, copper, single stranded cond, #10, insulated with two wraps of varnish cambric, single braid,	\$.006

Type VC MHD Copper, URC, Black .21875" O.D. 7 wire conduction. - Used-Good. In all communications to REA concerning

ITEM	QUAN TITY	DESCRIPTION	LOCATION	PRICE
8	1	LIGHT PLANT, Portable, 3KW, Onan Mod W3M AC 115V 1 ph. 60 C 1800 RPM 2cyl, 4 cyc,	Minneapolis, Minn Used Fair	\$200,00
9	1	LIGHT PLANT, Fortable, 6 KW Witte Type LAEB 7.5KVA, AC, 115/230V, 1200 RPM 1 ph 60C. aircooled, 1 cylinder, 4 cycle gas engine manual starting, mounted on wood skids. Condition: Used-Fair	п	\$250.00
10	2	TRANSFORMERS, 50 KVA, 2300-6600/6270/5940 Condition: Used-Good	Texas	\$250.00
11	495	PIKE POLES, Hickory Wire, 14" x 9', less hardware	San Francisco Calif.	\$ 3.00 ea
12	3	TRANSFORMERS, 250 KVA, 33,000 to 2400V single phase, 60 cycles, West. Type SL outdoor type, oil insulated, selfcooled gal. of oil 233, total wgt. 5350 # APG 1 Condition: USED-Good		\$750.00 ea
13	4	WOODED PIKE POLE, 21 dia, x 20 long, lacquer finish, metal parts painted oran and black. Condition Not used - Excel	ge	\$ 5,00 ea
14	250	BOLTS, Thimbleye, 45° shoulder type, hot d galv. 5/8" x14". Condition: Not Used-E		\$.25
15	42	GUY ATTACH. hot dip galv. 3" from center of bolt to center of hole, 5/8" wide growes for 1/2" strand, made of 1-3/4"x1/4" fla Steel. Condition: Not Used - Excellent		\$.07
16	71	CLEVIS SPOOL Type, primary insulated, with J-97 wet process insulator, wet flash ov 10 KV, dry flash over 24 KV, made of 1-3 1/8" steel with 5/8" pin and cotter pin. Condition: Not Used-Excellent	er	\$.25
17	50	CLEVIS, spcol type, primary insulated, wit J-0613 insulator, wet flash over vertica mtg. 23 KV, horizontal mtg. 26 KV, dry f 36 KV, clevis is hot dip galv. uses 5/8" for mtg. Condition: Not Used-Excellent.	l lash	.25
18		TRANSFORMER, 25 KVA, 20 KW, 80% PF, 120V, 208A, 60 cy. single ph, 8 pole, 900 RPM West. Synchronous generator, frame #8-24 Temperature rise not to exceed 40°C ambi temperature. Armature mounted on 2 ball revolving. Condition: Used-Good(Usable)	Maryland. -6. ent bearings	,740.00
19	1	TRANSFORMER, 50 KVA, 7620/13200 Y-120/240, C Impedence 203 single phase, 60 cycles. West. Transformer SP Hipersil, additive Polarity. Condition: Not Used-Good SWP: 114 B-		\$240.00

In all communications to REA concerning these items, please refer to SWP Release: 114 C

ITEM NO	QUAN TITY	DESCRIPTION LOCATION		RICE
20	7	CLEVIS, SPOOL TYPE, primary insulated w/ Warrenton, Va. J-0613 insulator, wet flash over vertical mtg. 33 KV, horizontal mtg 26 KV, dry flash over 36 KV, clevis is hot dip.galv. swivel mtg. type, includes 5/8" machine bolt for mtg. Condition: Not Used-Excellent.	\$. 25
21	150	SERVICE WIRE HOLDERS, consists of a l piece " pressed steel housing with #22x2-1/4" wood screw on the base of housing, an insulator 1-31/32" wide x 3" high is held in the housing by a 1/4" copper rivet, insulator has 7/8" xl" hele. Not used-Excellent	40	.10
22	30	CONE ANCHORS, chance pyramid, cast iron, 8"size, 3/4", 5/8" rod size does not include rod. Not used-Excellent	\$.90
53	350	SQUARE WASHER, hot dip galv. 2" sq.xl/8" " thick, with 11/16" hole Not Used-Excellent		.01
24	280	GUY CLAMP, hot dip galv., 6" long, 3 bolt " for 3/8"x7/16" strand. Not Used-Excellent		. 25
25	135	CROSS ARM BRACE, hot dip galv. 1-1/4"x1/4" " stack 28" long with one 7/16" and one 9/16" hole on 26" centers. Not Used-Excellent.		.10
26	475	LAG SCREWS, assorted, hot dip galv. 1/2"x4-1/2" " & 1/2"x4" - Not used-Excellent		.025
27	215	EYE BOLTS, SHOULDER, hot dip galv. 5/8"x12" " Not Used-Excellent		.15
28	1	HOIST, Yale, differential type 1/2 ton Ft. Crook, Nebr. Used-Good		\$30.00
29	1	HOIST, Yale, & Towne, screw geared 2 ton " " " Used-Good		\$50.00
30	100	PAVING BREAKERS - Air Hammers Kansas City Used-Good		\$62.50
31	1	NUT RUNNER, Van Dorn #42, 110V, 9 amps Culver City 500 RPM, 50/16 cycle, w/reversing switch. Calif. Used-Good		\$90.75
32	8	NUT RUNNERS, Black & Decker Adj w/reversing " switch, 110B, 9 smpd 500 RPM, 50/60 cy. Used-Good	7/	\$90.75

NATIONWIDE DISTRIBUTION

J. Warner Pyles, Head

Surplus War Property Office Cooperatives! OperationS Div.

SWP Release: 114 C

The second secon Product Complete and the file The second secon THE RESERVE OF THE RESERVE OF THE PARTY OF T THE RESERVE OF THE PARTY OF THE * Walter

UNITED STATES DEPARTMENT OF AGRICULTURE
Rural Electrification Administration
St. Louis 2. Missouri

DURRULUS WALLS PROPERTY ITEMS OF INTEREST TO REA BORROWERS

1933 SPEEDY ACTION ESSENTIAL 1933 SPEEDY ACTION ESSENTIAL 15 YOU DESIRE THESE MATERIOAdoer 23, 1945

SPECIAL NOTICE !.

Since transmitting your orders for the .375" diameter Hemp Center—Wire Rope, listed in SWP Release No. 104 at \$3.18 per roll of 300', we have been advised by the Disposal Agency that due to circumstances beyond their control, they cannot complete the transaction at the previously agreed price.

The normal cost of this Rope is 9ϕ per foot. The Disposal Agency states that the best price they can accept is 4ϕ per foot.

Please advise us immediately whether to cancel your order, or to process it at 4¢ per foot.

Any Cooperatives which have not ordered any of this Wire Rope and now desire to do so, should send in orders in duplicate by return mail.

LIBRARY
GUBRENT SERVAL RECORD

ST JAN 16 1946 \$

U. S. DEPARTMENT OF AGRICULTURE

J. Warner Pyles, Head

Surplus War Property Office

Cooperatives Operations Division

The transfer of the second sec